



IN UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 7,719,044

Docket No: 1997-1270.04/US

Issue Date: May 18, 2010

Patentee: Eugene P. Marsh

Title: PLATINUM-CONTAINING INTEGRATED CIRCUITS AND CAPACITOR
CONSTRUCTIONS

REQUEST FOR CERTIFICATION OF CORRECTION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
ATTN: Certificate of Correction Branch

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. Two copies of the text of the Certificate in the suggested form are enclosed.


As the error is that of the Patent Office, it is believed that no fee is due.

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims as properly allowed, and re-examination is not required.

Respectfully submitted,

Customer Number: 26809

Date: June 10, 2010

By: 

Russ Slifer
Reg. No. 39,838

CERTIFICATE UNDER 37 CFR § 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450, on this 10 day of June 2010

Jenny Mundt

Name



Signature

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,719,044

Page (1) of 1

DATED : May 18, 2010

INVENTOR(S) : Eugene P. Marsh

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the face page, in field (57), under "Abstract", in column 2, line 7, after "temperature" delete "a".

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO : 7,719,044

Page (1) of 1

DATED : May 18, 2010

INVENTOR(S) : Eugene P. Marsh

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the face page, in field (57), under "Abstract", in column 2, line 7, after "temperature" delete "a".